Document no / Revision											ſ	Docun	nent Release date		
							F	Bet v	vee	en				I	
	Supplier						_						Autoneum		
Name											N	lame			
ZIP & Location									7	IP &					
Street Street															
Country							Country			untry					
						T	RA	N	SP	0	RT	-			
							olutio			<u> </u>					
List of possible failure	Reaction Time [h]	1	2	3	4	5	6	7	8	9	10	11	Detailed explanation	ı	Estimated deliver time improvement
Damage during transport															
Fruck breakdown during transportation															
Usual transit not available															
Strike of carrier															
Customs issue															
Unexpected truck long term stop	term stop														
Others	Image: system Image:														
Solutions description:	6- F	rever	ntive r	nainte	enanc	e						Г	Sun	plier	
Solutions description: 6- Preventive maintenance 1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products										Plant Manager Surname Name		Signature			
2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products							3								
3- Sub-contracting of product possible 9- Emergency transportation															
4- Existence of substitutes (in house)															
5- Existence of tool in degraded mode 11- Others (details needed in explanation)															
						mp	rov	em	ent	s re	sul	lts			
					~							anspo			Revisior

Between Supplier Autoneum Name O Name O ZIP & Location O Street O O Street O Street O O Country O Street O O Country O Street O Street O List of possible failure Reaction Time [h] I I Solutions To I Detailed explanation Estimated deliver, time improvement timprovement time improvement time improvement timprovemen													-	Jocum	nent Release date 0		
Name 0 Name 0 ZIP & Location 0 ZIP & Location 0									E	Bet	we	en					
ZIP & Location 0 Image: constraint of the second seco		Supplier													Autoneum		
Street 0 Street 0 Country 0 Country 0	Name		0										Ν	ame	()	
Country 0 Country 0 Country 0 Country 0	ZIP & Location	ZIP & Location 0						Z	IP &	Loca	tion	()				
Country 0 Country 0 Country 0 Country 0	Street 0							S	reet	()						
Solutions Detailed explanation Estimated deliver Solutions Detailed explanation Estimated deliver Material quality problems I										0							
List of possible failure Reaction Time [h] 1 2 3 4 5 6 7 8 9 10 11 Detailed explanation Estimated deliver time improvementime improvementimprovementime improvementimprovementime improve			•											,			
List of possible failure Reaction Time [h] 1 2 3 4 5 6 7 8 9 10 11 Material quality problems Image: constraint of the state of the stat									MA	\T	ER	RIA	L				
List of possible failure Reaction time [n] 1 2 3 4 5 6 7 8 9 10 11 Detailed explanation time improvement Material quality problems I I I I I I I I I Image: Improvement Delay in delivery of a supplier I I Image: I								Sc	olutio	ons							Estimated delivery
Delay in delivery of a supplier Image: Supplier	List of possible failure	Reaction Time	[h]	1	2	3	4	5	6	7	8	9	10	11	Detailed explanation		time improvement
Capacity problem of a supplier Bad Storage I I I I I I I Bad Storage I I I I I I I Unsufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insufficient delivery volume by supplier I I I I I I Insuffic	Material quality problems																
Bad Storage Image	Delay in delivery of a supplier																
Unsufficient delivery volume by supplier Unsufficient delivery volume by supplier Unsufficient delivery volume by supplier Image: Supplier </td <td>Capacity problem of a supplier</td> <td></td>	Capacity problem of a supplier																
Solutions description: 6- Preventive maintenance Supplier 1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products Plant Manager Surname Name Date & Signature 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products Plant Manager Surname Name Date & Signature 3- Sub-contracting of product possible 9- Emergency transportation - - - 4- Existence of substitutes (in house) 10- Back up route - - - 5- Existence of tool in degraded mode 11- Others (details needed in explanation) - - -	Bad Storage																
1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products 3- Sub-contracting of product possible 9- Emergency transportation 4- Existence of substitutes (in house) 10- Back up route 5- Existence of tool in degraded mode 11- Others (details needed in explanation)	Jnsufficient delivery volume by supplier																
1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products 3- Sub-contracting of product possible 9- Emergency transportation 4- Existence of substitutes (in house) 10- Back up route 5- Existence of tool in degraded mode 11- Others (details needed in explanation)																	
1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products 3- Sub-contracting of product possible 9- Emergency transportation 4- Existence of substitutes (in house) 10- Back up route 5- Existence of tool in degraded mode 11- Others (details needed in explanation)																	
1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products 3- Sub-contracting of product possible 9- Emergency transportation 4- Existence of substitutes (in house) 10- Back up route 5- Existence of tool in degraded mode 11- Others (details needed in explanation)																	
1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products 3- Sub-contracting of product possible 9- Emergency transportation 4- Existence of substitutes (in house) 10- Back up route 5- Existence of tool in degraded mode 11- Others (details needed in explanation)																	
1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products 3- Sub-contracting of product possible 9- Emergency transportation 4- Existence of substitutes (in house) 10- Back up route 5- Existence of tool in degraded mode 11- Others (details needed in explanation)	Solutions description:		6- Pre	vent	ive m	ainte	enano	פי							Sup	nlior	
2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products 3- Sub-contracting of product possible 9- Emergency transportation 4- Existence of substitutes (in house) 10- Back up route 5- Existence of tool in degraded mode 11- Others (details needed in explanation)									manı	ıfactı	ured n	orodu	cts				Signature
3- Sub-contracting of product possible 9- Emergency transportation 4- Existence of substitutes (in house) 10- Back up route 5- Existence of tool in degraded mode 11- Others (details needed in explanation)		rvention											010	_	Hant Manager Garname Name	Date d	
4- Existence of substitutes (in house) 10- Back up route 5- Existence of tool in degraded mode 11- Others (details needed in explanation)											010						
5- Existence of tool in degraded mode 11- Others (details needed in explanation)				-													
Improvements results							neede	ed in e	explai	natior	ר)						
								mn	rov	om	0.04	~ *	I	10			
								mp		em	em	5 1	25ui	ເຣ			

auconeum

ocument no / Revision	0												ment Release date 0		
							_								
								Bet	we	en					
	Supplier												Autoneum		
Name		0									N	ame	0		
ZIP & Location	ocation 0							Z	IP &	Loca	ation	0			
Street 0									S	treet	0				
Country 0									intry						
ountry 0									000	inci y	•				
						P	RC			`T	0	J			
												•			
List of possible failure	Reaction Time [h		2	3	4	5	olutio	ons 7	8	9	10	11	Detailed explanation		Estimated deliver time improvement
achine breakdown			~		-			, '		5					•
imaged tooling															
nusual operators absence															
nployees strike															
trained employees															
iqualified employees															
on conforming parts during producti	on														
wer Supply breakdown															
lutions description:		- Preve	entive	maint	tenan	ice						ſ	Supplie	er.	
1- Spare parts available in house	-	- Safet	v "buf	fer" st	tock o	of half	man	ufacti	ured i	produ	cts	ŀ	Plant Manager Surname Name		Signature
2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished produced and the stock of finished produced and the stock of finished produced and the stock of the											ľ				
3- Sub-contracting of product possible 9- Emergency transportation															
4- Existence of substitutes (in house		0- Bac	k up r	oute	•										
5- Existence of tool in degraded m		1- Oth	ers (de	etails	need	ed in	expla	natio	n)						
												4			
						Imp	prov	/em	ient	s r	esul	ts			

Document no / Revision	0											D	ocun	nent Release date	C)	
		•						В	etw	ee	n						
	Supp	lier													Autoneum		
Name		0	1									N	ame			0	
ZIP & Location		0)							71F	9 & L	002	tion			0	
Street		0									~ -		reet			0	
												-					
Country 0							Cou	ntry			0						
							IN	FO	RN		TI	O	N				
						-		olution			_	•					
List of possible failure	Reactio	on Time [h]	1	2	3	4	5	6		8	9	10	11	De	tailed explanation	n	Estimated delive time improvement
T system breakdown																	
EDI Failure																	
Felephone Failure																	
Network failure																	
Printer Failure																	
Fax Failure																	
Power Supply breakdown																	
Loss of information (storage back-u	o)																
Loss of staff / Management																	
Solutions description:		6- P	rovor	ntive n	nainte	ananc									Sur	oplier	
1- Spare parts available in house								manuf	acture	d nr	oduct	c	-	Plant Manager Su			Date & Signature
1- Spare parts available in house7- Safety "buffer" stock of half manufactured productsPlant Manager Surname NameDate & Signature2- Repair of the tool due to exterior intervention8- Safety "buffer" stock of finished products6																	
3- Sub-contracting of product pos				ency f				nou pr	0 4 4 0 10								
4- Existence of substitutes (in ho			•	up ro	•												
5- Existence of tool in degraded						neede	ed in e	explana	ation)								
							mn	rove	me	nts	re	sul	ts				
						-	P										

Between Supplier Auton Name O Name ZIP & Location 0 ZIP & Location Street 0 Street Country O Country Country Country Solutions Country Country Solutions Country Solutions Solutions Country Solutions Solutions description: Solutions descriptio	eum 0 0 0 0 0
Name 0 Name ZIP & Location 0 ZIP & Location Street 0 Street Country 0 Country EENVIRONMENT Country List of possible failure Reaction Time [h] Solutions Solutions Fire in plant or in workshop 1 2 3 4 5 6 7 8 9 10 11 Detailed exp Flooding of plant or workshop 1 2 3 4 5 6 7 8 9 10 11 Detailed exp Flooding of plant or workshop 1 2 3 4 5 6 7 8 9 10 11 Detailed exp Power breakdown 1	0 0 0
ZIP & Location Street 0 Street Country 0 Country Elist of possible failure Reaction Time [h] Solutions Solutions Detailed exp Fire in plant or in workshop I 2 3 4 5 6 7 8 9 10 11 Detailed exp Fire in plant or in workshop I <thi< th=""> I I <thi< th=""></thi<></thi<>	0
Street 0 Street Country 0 Country Country 0 Country EIst of possible failure Reaction Time [n] Solutions Solutions Detailed exp Fire in plant or in workshop I 2 3 4 5 6 7 8 9 10 11 Detailed exp Flooding of plant or workshop I <thi< th=""> <thi< th=""> <thi< th=""></thi<></thi<></thi<>	0
Street 0 Street Country 0 Country Country 0 Country EINTERONMENT List of possible failure Reaction Time [h] Solutions List of possible failure Reaction Time [h] Solutions Solutions Detailed exp Flooding of plant or in workshop I	
Country 0 Country Country Country EINTRONMENT List of possible failure Reaction Time [h] Solutions Detailed exp 1 2 3 4 5 6 7 8 9 10 11 Fire in plant or in workshop Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Colspan="2">Image: Colspan="2">Image: Colspan="2">Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Colspan="2" Image: Colspan="2" Image: Colspa="2" Image: Colspan="2" Image: Cols	
ENVIRONMENT List of possible failure Reaction Time [h] I 2 3 4 5 6 7 8 9 10 11 Detailed exp Fire in plant or in workshop I	0
List of possible failure Reaction Time [h] 1 2 3 4 5 6 7 8 9 10 11 Detailed exp Fire in plant or in workshop III IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
List of possible failure Reaction Time [h] 1 2 3 4 5 6 7 8 9 10 11 Detailed exp Fire in plant or in workshop IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
List of possible failure Reaction Time [h] 1 2 3 4 5 6 7 8 9 10 11 Fire in plant or in workshop Image: Strate Str	E.C. A.L.
Flooding of plant or workshop Image: Compressed air, gas breakdown	lanation Estimated delivery time improvement
Power breakdown Image: Compressed air, gas breakdown Image: C	
Electricity breakdown Image: Compressed air, gas breakdown Natural weather too high / low to work Image: Compressed air, gas breakdown Image: Compressed air, gas breakd	
Compressed air, gas breakdown Image: Compressed air, gas breakdown Image: Compressed air, gas breakdown Natural weather too high / low to work Image: Compressed air, gas breakdown Image: Compressed air, gas breakdown Natural weather too high / low to work Image: Compressed air, gas breakdown Image: Compressed air, gas breakdown Geopolitical hazards Image: Compressed air, gas breakdown Image: Compressed air, gas breakdown Geopolitical hazards Image: Compressed air, gas breakdown Image: Compressed air, gas breakdown Solutions description: 6- Preventive maintenance Image: Compressed air, gas breakdown 1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products Plant Manager Surname Na 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products Plant Manager Surname Na 3- Sub-contracting of product possible 9- Emergency transportation Plant Manager Surname Na	
Natural weather too high / low to work Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to exterior intervention Image: Constraint of the tool due to	
Geopolitical hazards Image: Constraint of the tool due to exterior intervention are subscription: 6- Preventive maintenance Plant Manager Surname Na 1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products Plant Manager Surname Na 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products Plant Manager Surname Na 3- Sub-contracting of product possible 9- Emergency transportation 9- Emergency transportation	
Solutions description: 6- Preventive maintenance Plant Manager Surname Na 1- Spare parts available in house 7- Safety "buffer" stock of half manufactured products Plant Manager Surname Na 2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products Plant Manager Surname Na 3- Sub-contracting of product possible 9- Emergency transportation 9- Emergency transportation	
1- Spare parts available in house7- Safety "buffer" stock of half manufactured productsPlant Manager Surname Na2- Repair of the tool due to exterior intervention8- Safety "buffer" stock of finished products9- Emergency transportation3- Sub-contracting of product possible9- Emergency transportation9- Emergency transportation	
1- Spare parts available in house7- Safety "buffer" stock of half manufactured productsPlant Manager Surname Na2- Repair of the tool due to exterior intervention8- Safety "buffer" stock of finished products9- Emergency transportation3- Sub-contracting of product possible9- Emergency transportation9- Emergency transportation	
1- Spare parts available in house7- Safety "buffer" stock of half manufactured productsPlant Manager Surname Na2- Repair of the tool due to exterior intervention8- Safety "buffer" stock of finished products9- Emergency transportation	
2- Repair of the tool due to exterior intervention 8- Safety "buffer" stock of finished products 3- Sub-contracting of product possible 9- Emergency transportation	Supplier
3- Sub-contracting of product possible 9- Emergency transportation	me Date & Signature
4- Existence of substitutes (in house) 10- Back up route	
5- Existence of tool in degraded mode 11- Others (details needed in explanation)	
Improvements results	
·	

	Sup	oplier	Conting	ency P	lan
Docume	ent no / Revision			Release date	
			Contact List	·	
Company	Function	Language	Name and Surname		Contact details
		<u> </u>		Phone	
	Plant Manager			Mobile	
				Email address	
				Phone	
	PC&L Manager			Mobile	
				Email address	
				Phone	
	Buyer			Mobile	
				Email address	
				Phone	
	Quality Manager			Mobile	
				Email address	
Autoneum				Phone	
	Material Planner			Mobile	
				Email address	
				Phone	
	Logistics Supervisor			Mobile	
				Email address	
				Phone	
	EDI Contact			Mobile	
				Email address	
				Phone	
	24 hours Contact			Mobile	
				Email address	
				Phone	
	Plant Manager			Mobile	
				Email address	
				Phone	
	Logistics Manager			Mobile	
				Email address	
				Phone	
	Customer Service			Mobile	
O				Email address	
Supplier				Phone	
	Quality Manager			Mobile	
				Email address	
				Phone	
	EDI Contact			Mobile	
				Email address	
				Phone	
	24 hours Contact			Mobile	
				Email address	



Supplier Contingency Plan

			Revision History
Revision	Date	Writer	Description
1	18/10/2016	A. Rousseau / K.Rehacek	Document creation. Update of possible failure list and document name